


Ref #	Part Number Q	ty Description
	34913A	Cylinder (Incl. 8, 11, 94 & 94A) (2-5 /8")
	28277	Washer, Flat
	30669	Rod, Governor
	31357	Lever, Governor
	31335	Clamp, Governor lever
	650548	Screw, 8-32 x 5/16"
	31361	Spring, Governor
	32630	Seal, Oil
	29536	·
		Baffle, Blower housing (Use as required)
	35256A	Blo.Hsg.Baffle (W/E.S.knock-out)(As r eq.)
	650561	Screw, 1/4-20 x 5/8"
	27652	Pin, Dowel
	35265	Crankshaft (Incl. 13 & 14)
	29783	Pin, Crankshaft gear
	27884	Gear, Crankshaft
	33312B	Piston & Pin Ass'y. (Incl.17)(2-5/8") (Std.)
15A	33313B	Piston & Pin Ass'y. (Incl. 17) (.010" OS)
15A	33314B	Piston & Pin Ass'y. (Incl. 17) (.020" OS)
15	34531	Piston, Pin & Ring Set (2-5/8") (Std.)
15	34532	Piston, Pin & Ring Set (.010" OS)
15	34533	Piston, Pin & Ring Set (.020" OS)
	34854	Ring Set (2-5/8") (Std.)
	34855	Ring Set (.010" OS)
	34856	Ring Set (.020" OS)
	27888	Ring, Piston pin retaining
	31380C	Rod Assy., Connecting (Incl. 19)
	650662C	Bolt, Connecting rod (Incl. 2 pieces)
	34034	
		Lifter, Valve
	32114	Camshaft (MCR)
	30622A	Extension, Blower housing
	650128	Screw, 10-24 x 1/2"
	30688	Screw, 1/4-20 x 1/2"
	31356	Pump Assy., Oil
	30684	* Gasket, Cylinder cover
	31471C	Flange Ass'y. (Incl. 29,30,31,33,182 & 183)
29	27642	Plug, Pipe (sq.hd, 1/4-28)
30	27897	Seal, Oil
31	30668	Shaft, Mech. Governor
32	31707A	Governor Spacer Assy. (Incl. 33)
33	30590A	Washer, Flat (2 required)
	30591	Gear Assy., Governor
	29193	Ring, Retaining
	30588A	Spool, Governor
	31355	Screen, Oil filter (Use as required)
	29117	Screw, 8-32 x 5/16" (Use as required)
	650488	Screw, 1/4-20 x 1-1/4"
	32783	
		Intake Valve (Std.) (Incl. 44)
	32784	Intake Valve (1/32" OS) (Incl. 44)
	27878A	Exhaust Valve (Std.) (Incl. 44)
	27880A	Exhaust Valve (1/32" OS) (Incl. 44)
	27882	Cap, Upper valve spring
	27881	Spring, Valve
44	32581	Cap, Lower valve spring
46A	650814	Screw, 10-24 x 1"
47	32589	Key, Flywheel
	650815	Washer, Belleville
	8116	Nut, Washer, 1/2-20
	28938B	* Gasket, Head
00	-	

Ref #	Part Number Qt	/ Description
	30938A	Head, Cylinder (Incl. 54)
	33636	Resistor Spark Plug (RJ-8)
	34251	Resistor Spark Plug (RJ-17LM)
	30939A	Cover Assy., Cylinder head
	650691	Washer, Flat (Use as required)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as required)
	26073	Washer, Flat (Use as required)
	650690	Washer, Belleville (Use as required)
	27896	* Gasket, Breather cover
	28423	Body, Breather
	28424	Element, Breather
	28425	Cover, Valve spring box
	27627	Tube, Breather
	650128	Screw, 10-24 x 1/2"
	26756	* Gasket, Carburetor
	32632	Pipe, Intake
	27272	* Gasket, Air cleaner
	31691	Bracket, Air cleaner
	28820	Screw, 10-32 x 1/2"
	30727	Element, Air cleaner
	31715	Body, Air cleaner
	650152	Screw, 8-32 x 3/8"
	27915	* Gasket, Intake to cylinder
	650378	Screw, 5/16-18 x 1-1/8"
	31823	Link, Throttle
	32582	Link, Governor spring
	32181A	Control Assy., Speed (Incl. 76, 77 & 78)
	31342	
	650549	Spring, Compression
	610973	Screw, 5-40 x 7/16" Terminal Ass'y. (Use as required)
	30200	Screw, 10-24 x 9/16"
	32629B	
	29747B	Blower Housing (Incl. 121 & 122)(Elec . Str.) Screw, 5/16-24 x 21/32"
	27930	* Gasket, Exhaust
	28269	Muffler
	31588	Plate, Muffler locking
	30196	Screw, 5/16-18 x 3/4" (Use as require d)
	650696	Screw, 5/16-18 x 2-3/4" (Use as required)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as required)
	32125	Cup, Starter
	35009	Screen, Starter
	29716	Screw, 1/4-28 x 7/16"
	32584	Fuel Tank (Incl. 90)
	33032	Fuel Cap (Use as required)
	34210	Fuel Cap (Use as required)
	29774	Fuel Line (8-1/4") (Use as required)
	30962	Fuel Line (32") (Use as required)
	27793	Clip, Conduit
	28942	Screw, 10-32 x 3/8"
	34249	Dipstick (Incl. 95A)
	33590	"O" Ring
	6201	Screw, 1/4-28 x 7/8" (Use as required)
	650372	Screw, 1/4-20 x 1/8 (Use as required) Screw, 1/4-20 x 13/16" (Use as required)
	35234	· · · · · · · · · · · · · · · · · · ·
	33549	Wire, Ground
	33548	Clamp, Tank hold down Deflector, Fuel
	33323	Screen, Muffler (Use as required)
113	00020	Ocident, Mullion (Ose as required)

Ref #	Part Number (Qty Description
123	27276	Cover, Spark plug (Use as required)
123	610118	Cover, Spark plug (Use as required)
128	34246	Clip, Ground wire
133B	730127	A/C Assy. (Incl.65,66,67,68A,69,70,13 4)
135	611084	Flywheel
136	34443A	Solid State Assy.
137	650872	Stud, Solid State mounting
154	34346	Decal, Instruction
154A	550223	Decal, Name
157	631021	Inlet Needle, Seat & Clip Assy.
158	632233	Carburetor (Incl. 62) (Refer to Division 5, Section A, page 182 for breakdown)
160	590420	Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
164	33234A	* Gasket Set (Incl. items marked *)



Ref #	Part Number	Otv	Description
54A 54A 81 82	26073 650690 29747B 27930 391026		Washer, Flat (Use as required) Washer, Belleville (Use as required) Screw, 5/16-24 x 21/32" * Gasket, Exhaust Muffler (Incl. 115, 116 & 117) (This spark arrestor mufflercan be used on any model)
85 91 91 100 103B 104 105 115 116 117 118 119 120 133A 133	30196 650696 650697A 29774 30962 26460 34248 34247 650562 33323 33700 650578 28545 650643 33356 31288 730130 33329D		Screw, 5/16-18 x 3/4" (Use as require d) Screw, 5/16-18 x 2-3/4" (Use as requi red) Screw, 5/16-18 x 2-1/2" (Use as requi red) Fuel Line (8-1/4") (Use as required) Fuel Line (32") (Use as required) Clamp, Fuel line (Use as required) Tube, Oil fill Bushing, Fill tube Screw, 10-32 x 1/2" Screen, Muffler (Use as required) Cover & tube, Muffler (Use as required) Cover & tube, Muffler (Use as required) Grommet, Plastic Screw, 8-18 x 3/8" (Use as required) Grommet, Plastic Screw, 8-18 x 3/8" Terminal, Ground Muffler Adapter Kit (Incl.82 & 85)(As req.) Muffler Adap. Kit (Incl.82 & 85)(As r eq.) Starter Motor Kit (110-120 volt) (Refer to service number stamped on end cap of motor, or on decal, for identification. For breakdown see Division 5, Section D, Page 16.)
163	611042		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above) (Use on Std. point ignitions)
163	611085		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above) (Use on solid state ignitions)